

# CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-400.0-02  
English Version

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product

## "mineral wool products"

Thermal insulation products for buildings

Factory made mineral wool products acc. EN 13162:2012+A1:2015  
(details see annex)

produced by or for

**Kingspan Mineral Insulation GmbH**  
Am Schornacker 2, 46485 Wesel, Deutschland

and produced in the manufacturing plant(s)

**Kingspan Mineral Insulation GmbH**  
07580 Ronneburg, Deutschland

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

**EN 13162:2012+A1:2015**

under **System 1** for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

**constancy of performance of the construction product.**

This certificate was first issued on 01.10.2024 and will remain valid (but no longer than 01.10.2025) as long as neither the harmonized standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

Gräfelfing, 1 Oktober 2024

D. Andreas Schmeller

Certification Body



# ANNEX TO CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 0751-CPR-400.0-02  
English Version

**Factory:** Kingspan Mineral Insulation GmbH  
07580 Ronneburg

**Construction product(s):** Factory made mineral wool products acc.  
EN 13162:2012+A1:2015

**Intended use:** Thermal insulation products for buildings

**Level(s) or class(es)** for uses subject to regulations of reaction to fire A1, A2, B, C.  
**Reaction to fire:** Products for which a clearly identifiable stage in the production process results in an improvement in the reaction to fire classification.

**System of Assessment and Verification of Constancy of Performance: 1**

**Table 1**

	Product			Classification				
	Name	Type	Thickness range mm	Reaction to Fire Class	Facing/Coating	Density	Organic Content	Thickness range mm
						kg/m <sup>3</sup>	mass%	
1	Envertex Roof 60/038 Dual	Board	60-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
2	Envertex Roof 70/038 Dual	Board	60-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
3	Envertex Roof 70/040 Dual	Board	60-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
4	Envertex Roof 50/038	Board	50-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
5	Envertex Roof 70/038	Board	60-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
6	Envertex Roof 70/040	Board	60-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
7	Envertex Slope 70/038	Board	20-160	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
8	Envertex Reno 70/040	Board	30-50	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
9	Envertex Converto 70/650	Board	50-200	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
10	Envertex Converto 70/800	Board	50-200	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any

<sup>1)</sup> Classification report: HA-22-1656-10

<sup>2)</sup> Classification report: HA-23-1735-38, HA-24-1859-06 (Products with compressed top layer „dual density“)

Table 1

	Product			Classification				
	Name	Type	Thickness range mm	Reaction to Fire Class	Facing/Coating	Density kg/m <sup>3</sup>	Organic Content mass%	Thickness range mm
11	Envertex Soffit	Board	50-200	A1	without <sup>1,2)</sup>	≤ 240	≤ 5,3	any
12	Envertex Core 70	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
13	Envertex Core 90	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
14	Envertex Core 110	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
15	Envertex Core 130	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
16	Envertex Panel 40	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
17	Envertex Panel 60	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
18	Envertex Panel 80	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
19	Envertex Panel 100	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any
20	Envertex Panel 120	Board	50-300	A1	without <sup>1)</sup>	≤ 190	≤ 4,5	any

<sup>1)</sup> Classification report: HA-22-1656-10

<sup>2)</sup> Classification report: HA-23-1735-38, HA-24-1859-06 (Products with compressed top layer „dual density“)

Gräfelfing, 1 Oktober 2024



Dr. Andreas Schmöller

*Andreas Schmöller*  
Certification Body